


Quotation



GUANGZHOU HANKER ELECTRONICS TECHNOLOGY CO.,LTD.

ADD:SHADU ROAD T.I.T Cultural and Creative Park Block 29 102, HAIZHU DISTRICT Guangzhou Guangdong China
Cell/Wechat: +8613798070807 Email: hanker003@bakutool.com Contact Person: MS. STAR LI

Type	Pic.	Model	EXW U/Price	MOQ (pcs)	Unit Price (≤MOQ)	Weight (Kgs/pcs)	Packing Detail (cm)	Remark																																								
Rework Station		BK-937	> MOQ \$37.50	MOQ:120	≤MOQ \$41.25	1.16kg	23*10*22 12/ctn	Temperature: 80-500°C Power: 120W Size: 165*180*100mm Weight: 0.85KG																																								
Rework Station		ba-942D	> MOQ \$83.33	MOQ:120	≤MOQ \$91.67	4.12kg	30*30*19 4/ctn 59*35*40/ctn	Temperature Range: 100 ~500 °C Power consumption: ≤ 700W Air Flow: ≤ 120L / min Dimension: 300*320*180 mm																																								
Rework Station		ba-942C	> MOQ \$83.33	MOQ:120	≤MOQ \$91.67	4.08kg	32*25*18 4/ctn 59*35*40/ctn	Temperature Range: 100 ~500 °C Power: 1000W Air Flow: ≤ 150L / min Dimension: 32*25*18 CM																																								
Rework Station		ba-942E	> MOQ \$64.17	MOQ:120	≤MOQ \$70.58	3.30kg	32*25*18 4/ctn 59*35*40/ctn	Temperature: 100-500°C Power: 1000W Air flow: 150 L/min Size: 240*880*180mm																																								
ba 012 Microscope		ba 012	> MOQ \$400.00	MOQ:20	≤MOQ \$440.00	6.50kg	53*54*27 1/ctn	Theory:Video Microscope Drawtube:BINOCULAR Total magnification:180X Objective:0.7-4.5 Working temperature:- 10 - 60 degrees Zoom eyepiece:0.5X screen size:7.0 inches screen resolution:1024*600mm output port:HDMI,USB,TF																																								
4K CCD Camera lens		4K CCD	> MOQ \$120.00	MOQ:10	≤MOQ \$130.00	0.45kg	14.5*13.0*0.7	<table><tr><td>Sensor</td><td>1/2.8" CCD sensor</td><td>Pixel size</td><td>2.8um x 2.8um</td></tr><tr><td>HDMI Output</td><td>1920*1080 30FPS</td><td>TYPE-C</td><td>1920*1080 30FPS 120Hz 20000000/4800000</td></tr><tr><td>Output</td><td>100*50*50 (MFO)</td><td>Recording</td><td>Up to 4096*2160 4K</td></tr><tr><td>Lens Interface</td><td>1/2" S</td><td>Exposure</td><td>Automatic/manual one-click exposure</td></tr><tr><td>Supports camera module</td><td>Yes</td><td>White balance</td><td>Automatic/manual one-click white balance, support RGB adjustment</td></tr><tr><td>Support storage</td><td>up to 512G</td><td>Input Power</td><td>DC 5V-1A</td></tr><tr><td>Auxiliary lens</td><td>Support 12 night vision, audio, bulb, and adjustable position</td><td>Centrifuge</td><td>Yes</td></tr><tr><td>Language</td><td>English/Chinese/Traditional Chinese</td><td>Remote Control</td><td>Yes</td></tr><tr><td>WIFI</td><td>2.4G</td><td>G.W.</td><td>430g</td></tr><tr><td>Size</td><td>145*130*70mm</td><td>Packing size</td><td>145*130*70mm</td></tr></table>	Sensor	1/2.8" CCD sensor	Pixel size	2.8um x 2.8um	HDMI Output	1920*1080 30FPS	TYPE-C	1920*1080 30FPS 120Hz 20000000/4800000	Output	100*50*50 (MFO)	Recording	Up to 4096*2160 4K	Lens Interface	1/2" S	Exposure	Automatic/manual one-click exposure	Supports camera module	Yes	White balance	Automatic/manual one-click white balance, support RGB adjustment	Support storage	up to 512G	Input Power	DC 5V-1A	Auxiliary lens	Support 12 night vision, audio, bulb, and adjustable position	Centrifuge	Yes	Language	English/Chinese/Traditional Chinese	Remote Control	Yes	WIFI	2.4G	G.W.	430g	Size	145*130*70mm	Packing size	145*130*70mm
Sensor	1/2.8" CCD sensor	Pixel size	2.8um x 2.8um																																													
HDMI Output	1920*1080 30FPS	TYPE-C	1920*1080 30FPS 120Hz 20000000/4800000																																													
Output	100*50*50 (MFO)	Recording	Up to 4096*2160 4K																																													
Lens Interface	1/2" S	Exposure	Automatic/manual one-click exposure																																													
Supports camera module	Yes	White balance	Automatic/manual one-click white balance, support RGB adjustment																																													
Support storage	up to 512G	Input Power	DC 5V-1A																																													
Auxiliary lens	Support 12 night vision, audio, bulb, and adjustable position	Centrifuge	Yes																																													
Language	English/Chinese/Traditional Chinese	Remote Control	Yes																																													
WIFI	2.4G	G.W.	430g																																													
Size	145*130*70mm	Packing size	145*130*70mm																																													
ba949C Rotary LCD Separator		ba 949C	> MOQ \$66.33	MOQ:60	≤MOQ \$72.97	3.10kg	4pcs/ctn 49*32*42cm/ctn	Power:200W Current:6A/3A Pressure:45Kpa Noise:55dB Voltage:AC110V/220V Type:separation machine Function:Separator mobile phone lcd Feature:360 rotating ,Heating Size:7"																																								
ba3305D DC Power Supply 30V/5A		BA 3305D	> MOQ \$91.67	MOQ:60	≤MOQ \$100.83	4.80kg	4pcs/ctn 40*34*45cm/ctn	Output Power:150W Output Type:Single Input Voltage:220V Output Voltage:30V Output Frequency:50HZ Output Current:5A weight:4.4kg																																								
ba 2030 Eye cleanser		ba 2030	> MOQ \$18.00	MOQ:60	≤MOQ \$19.80	0.22kg	62pcs/ctn 47*27*39/ctn	<table><tr><td colspan="2">Product Name: Contact lens ultrasonic cleaner.</td></tr><tr><td>Control Mode: touch</td><td>Product net weight: About 61g</td></tr><tr><td>Battery capacity: 600mah</td><td>Battery Type: Polymer cell</td></tr><tr><td>Washing tank size: 43x22x10mm.</td><td>Product size: 70x7x30mm.</td></tr><tr><td colspan="2">Color classification: Blue, pink, green, purple.</td></tr></table>	Product Name: Contact lens ultrasonic cleaner.		Control Mode: touch	Product net weight: About 61g	Battery capacity: 600mah	Battery Type: Polymer cell	Washing tank size: 43x22x10mm.	Product size: 70x7x30mm.	Color classification: Blue, pink, green, purple.																															
Product Name: Contact lens ultrasonic cleaner.																																																
Control Mode: touch	Product net weight: About 61g																																															
Battery capacity: 600mah	Battery Type: Polymer cell																																															
Washing tank size: 43x22x10mm.	Product size: 70x7x30mm.																																															
Color classification: Blue, pink, green, purple.																																																
Face ID		Face ID	X Series: US\$ 7.20 Series 11: US\$8.50 Series 12: US\$9.50 Host generation: US\$10.00	MOQ:10	X Series: US\$ 8.00 Series 11: US\$9.00 Series 12: US\$10.00 Host generation: US\$11.00			•Read the Face ID data and detection. •Supported models: IPX-12 Promax . •Rewrite the data in the new cable.																																								


ba 695 Anti-static Mat		ba 695	> MOQ \$8.67	MOQ:120	≤MOQ \$9.53	0.65kg	30pcs/ctn 47*32*22/ctn	High temperature resistant anti-static mat+Thermoplastic Rubber-TPR , SIZE:45X30cm										
2 In 1 Lead Free Solder Station		ba 9852	> MOQ \$137.50	MOQ:120	≤MOQ \$151.25			Type:Digital, LCD touch screen Temperature Control Accuracy:1°C Tip Type:Conical, Knife, Needle Power Consumption:1200W The gas flow:300L/sec Temperature Range:150-500°C The noise:≤45dB Fuse:15A(110V),8A(220V) Frequency:50/60Hz										
Lead free BGA solder paste		ba 5052	> MOQ \$2.08	MOQ:100	≤MOQ \$2.29			<table><tr><td>Mode</td><td>5052(Lead-Free)</td></tr><tr><td>Microns</td><td>35-45μm</td></tr><tr><td>Weight</td><td>35g</td></tr><tr><td>Melting point</td><td>138°C</td></tr><tr><td>Temperature of using</td><td>160~170°C</td></tr></table>	Mode	5052(Lead-Free)	Microns	35-45μm	Weight	35g	Melting point	138°C	Temperature of using	160~170°C
Mode	5052(Lead-Free)																	
Microns	35-45μm																	
Weight	35g																	
Melting point	138°C																	
Temperature of using	160~170°C																	
Middle-temperature BGA Paste		ba 5053	> MOQ \$2.58	MOQ:100	≤MOQ \$2.84			<table><tr><td>Mode</td><td>5053</td></tr><tr><td>Microns</td><td>25-28μm</td></tr><tr><td>Weight</td><td>35g</td></tr><tr><td>Melting point</td><td>183°C</td></tr><tr><td>Temperature of using</td><td>190~200°C</td></tr></table>	Mode	5053	Microns	25-28μm	Weight	35g	Melting point	183°C	Temperature of using	190~200°C
Mode	5053																	
Microns	25-28μm																	
Weight	35g																	
Melting point	183°C																	
Temperature of using	190~200°C																	
High-temperature BGA Paste		ba 5054	> MOQ \$3.08	MOQ:100	≤MOQ \$3.39			<table><tr><td>Mode</td><td>5054</td></tr><tr><td>Microns</td><td>35-45μm</td></tr><tr><td>Weight</td><td>35g</td></tr><tr><td>Melting point</td><td>220°C</td></tr><tr><td>Temperature of using</td><td>230~240°C</td></tr></table>	Mode	5054	Microns	35-45μm	Weight	35g	Melting point	220°C	Temperature of using	230~240°C
Mode	5054																	
Microns	35-45μm																	
Weight	35g																	
Melting point	220°C																	
Temperature of using	230~240°C																	
Double Blade		ba 7384	> MOQ \$2.08	MOQ:100	≤MOQ \$2.29			Used to remove glue Ergonomic design, easy to use 1×Handle 4×Plastic Blade 4×Stainless Steel Blade										
Multi-head Blade		ba 7380-A	> MOQ \$4.17	MOQ:100	≤MOQ \$4.58			「 7380-A 」 Multifunctional Removing Glue Blade Usage:for motherboard chip,CPU, baseboard,hard disk glueremoving										
		ba 7380-B	> MOQ \$7.00	MOQ:100	≤MOQ \$7.70			「 7380-B 」 IC Chip Remove blade set Usage : for sealing chip glue and tin removing.										
		ba 7380-C	> MOQ \$7.00	MOQ:100	≤MOQ \$7.70			「 7380-C 」 Glue removing blade set Usage:for motherboard chip, CPU,baseboardhard disk glue removing										
Fume Extractor		ba-943	> MOQ \$21.67	MOQ:120	≤MOQ \$23.83	0.91kg	16.5*11*21	Power: 30W(50/60Hz) Size: 220X 130X110mm										
Heating Platform		ba-676	> MOQ \$55.83	MOQ:20	≤MOQ \$61.42	0.45kg	15*3.5*13	Temperature range: 185°C~ 200°C Usage: For IC glue removing (A11,A12,A13) ; For middle layer separator Power: 50W for iphoneX/XS/XSmax/11/11 pro/11 pro max										
Flux		RMA-625 BO	> MOQ \$3.67	MOQ:100	≤MOQ \$4.03	0.03kg	2.2*4.5*4.5											
Flux		ba-229	> MOQ \$4.00	MOQ:100	≤MOQ \$4.40	0.03kg	8*2*16.6cm	Flux Type: ba-229 Lot#: R-898-Lo Net:15ml										
Flux		ba-230	> MOQ \$7.17	MOQ:100	≤MOQ \$7.88	0.05kg	3.7*2.9*12.6	Flux Type: ba-230 Lot#: R-898-Lo Net:40ml										


GUANGZHOU HANKER ELECTRONICS TECHNOLOGY CO.,LTD.

ADD:SHADU ROAD T.I.T Cultural and Creative Park Block 29 102, HAIZHU DISTRICT Guangzhou Guangdong China
Cell/Wechat: +8613798070807 Email: hanker003@bakutool.com Contact Person: MS. STAR LI

Type	Pic.	Model	Weight/pcs (kg)	Packing Detail (cm)	Remark
Laminating Machines		BK-956	44.20kg	56*46*48	Range: 20*28cm (13 inch)
Laminating Machines		ba-955	65.70kg	48*44*54	For Samsung Edge Screen Laminating and bubble removing. Range: 16*19cm (9.5 inch)
Mold		ba-688			Universal Positioning Mold Fit for most of the flat phone screens.
iCorner		ba-691			Straightening Tool Set for Smartphone
Separator		ba-948C	3.10kg	36*21*27/pcs 6pcs/ctn 42*38*52/ctn	Work Range: 205*110 mm (9-inch) Size: 180*320*105 mm Output Power: 300W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz
Laser machine		ba-2020	44.00kg	90*36*69	Laser Printing MACHINE Function: 1. Separating back cover of iPhone8, 8P, X, XS,XSMAX 2. Separating the frame stand of most kinds screen. 3. Laser printing, logo printing.
Laser machine		ba-2021	37.00kg		Laser Printing MACHINE Function: 1. Separating back cover of iPhone8, 8P, X, XS,XSMAX 2. Separating the frame stand of most kinds screen. 3. Laser printing, logo printing.
Separator		BK-F180	78.00kg	63*60*92	Temperature: -180°C Power: 1000W Size: 560*485*775mm Working Dimension: 190*270mm
BK-100m Cutting Wire		BK-100m Cutting Wire			Dia.: 0.08mm, 0.04mm Length: 100m/329ft.
Handle for Separating Wire		Handle for Separating Wire			2 pcs/set
Separator		ba-7231	3.4	21*20*16/pcs 6pcs/ctn 63*36*24/ctn	Middle Frame Separator for SAMSUNG
Ultrasonic Cleaner		ba-2000A			Ultrasonic Frequency: 40KHz Ultrasonic Power: 600W Heating Power: 500W Liquid heating, up to 80°C Capacity: 30L

Ultrasonic Cleaner		BK-2000	3.74kg	32*24*30/pcs 4pcs/ctn 50*35*63/ctn	Ultrasonic Frequency: 40KHz Ultrasonic Power: 120W Heating Power: 100W Liquid heating, up to 80°C Capacity: 3.2L
Ultrasonic Cleaner		BK-1200	2.66kg	27*23*27/pcs 6pcs/ctn 71*27*55/ctn	Ultrasonic Frequency: 40KHz Ultrasonic Power: 60W Heating Power: 100W Liquid heating, up to 80°C Capacity: 1.6L
Ultrasonic Cleaner		BK-2400	1.30kg	23*16*16/pcs 12pcs/ctn 46*33*53/ctn	Ultrasonic Frequency: 42KHz Ultrasonic Power: 35W Capacity: 0.8L
Ultrasonic Cleaner		ba-3060A	1.30kg	26*18*19/pcs 12pcs/ctn 54*36*37/ctn	Ultrasonic Frequency: 42KHz Ultrasonic Power: 35W Capacity: 0.6L
Ultrasonic Cleaner		ba-3060A	1.30kg	26*18*19/pcs 12pcs/ctn 54*36*37/ctn	Ultrasonic Frequency: 42KHz Ultrasonic Power: 35W Capacity: 0.6L
Ultrasonic Cleaner		ba-2300	0.76kg	24*17*14/pcs 16pcs/ctn 49*58*35/ctn	Ultrasonic Frequency: 40KHz Ultrasonic Power: 35W Capacity: 0.8L
Soldering Iron		BK-460	0.11	22*7.5*2.5/pcs 120pcs/ctn 58*42*25/ctn	Achieve up to 480°C in 20s. Cool down in 30s. USB power: 8W Input: 5V
Soldering Iron		ba-461	0.11	5.2*2.7*24 120pcs/ctn 58*42*25/ctn	Power: 20W, 30W, 40W, 60W Temperature control
Soldering Iron		ba-462	0.11	5.2*2.7*24 120pcs/ctn 58*42*25/ctn	Power: 20W, 30W, 40W, 60W
Soldering Iron		Ba-463	0.11	5.2*2.7*24 120pcs/ctn 58*42*25/ctn	Power: 30W
Rework Station		ba-8850D	3.30kg	33*21*28/pcs 6pcs/ctn 57*35*64/ctn	Output Power: 500~550 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Hot Air Gun: 100~500 °C / 212~932 °F.
Rework Station		ba-8701D	4.40kg	33*21*28/pcs 4pcs/ctn 57*35*42/ctn	Output Power: 700~750 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C / 392~896 °F Hot Air Gun: 100~480 °C / 212~896 °F.
Rework Station		ba-8702D	4.50kg	33*21*28/pcs 4pcs/ctn 57*35*42/ctn	Output Power: 700~750 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C / 392~896 °F Hot Air Gun: 100~480 °C / 212~896 °F.
Rework Station		ba-8305D	5.2	33*21*28/pcs 4pcs/ctn 57*35*42/ctn	Output Power: 900W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C / 392~896 °F Hot Air Gun: 100~480 °C / 212~896 °F Power Supply: DC 0~30 V / 0~5 A.
Rework Station		ba-9305L	5.40kg	33*21*28/pcs 4pcs/ctn 57*35*42/ctn	Output Power: 900W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C / 392~896 °F Hot Air Gun: 100~480 °C / 212~896 °F Power Supply: DC 0~30 V / 0~5 A



Rework Station		ba-942	2.52kg	29*25*15/pcs 6pcs/ctn 51*30*47/ctn	Output Power: 700~750 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 50~480 °C / 122~896 °F Hot Air Gun: 100~450 °C / 212~842 °F
Rework Station		ba-603D+	4.50kg	31*28*15/pcs 4pcs/ctn 57*32*32/ctn	Output Power: 800 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C Hot Air Gun: 100~450 °C. Weight: 4.35kg Size: 37*28*16cm
Rework Station		ba-602D+	2.68kg	27*25*15/pcs 6pcs/ctn 51*28*46/ctn	Output Power: 750 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C Hot Air Gun: 100~450 °C Weight: 2.7kg Size: 27*15*15cm
Rework Station		ba-601D+	2.70kg	27*25*15/pcs 6pcs/ctn 51*28*46/ctn	Output Power: 750 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C Hot Air Gun: 100~480 °C. Weight: 2.7kg Size: 27*25*15cm
Rework Station		ba-600D+	1.5	27*25*15/pcs 6pcs/ctn 51*28*46/ctn	Output Power: 750 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 200~480 °C Hot Air Gun: 100~480 °C. Weight: 2kg Size: 27*25*15cm
Lead-free soldering station		Ba-9850 110V	3.60kg	25*23*18	Output Power: 130 W Fuse: 8A(110V), 4A(220V) Frequency: 50/60 Hz Solder Iron: 50~520°C
Handles for Rework Stations		9305L Handle Soldering Iron		200pcs/ctn 26*47*43/ctn	for: ba-8850D, ba-8701D, ba-8702D, ba-8305D, ba-9305L
		9305L Handle Heat Gun		100pcs/ctn 50*47*33/ctn	for: ba-8850D, ba-8701D, ba-8702D, ba-8305D, ba-9305L Specification: 110V, 220V
Handles for Rework Stations		942 Handle Soldering Iron		200pcs/ctn 26*47*43/ctn	for: ba-942
		942 Handle Heat Gun		100pcs/ctn 50*47*33/ctn	for: ba-942 Specification: 110V, 220V
Soldering Iron' s Tip		ba-900M Series	0.01kg	0.011	6.6*10.2*0.8
Iron Tip Cleaner		BK-222	0.07kg	0.7*0.7*0.75/pcs 120pcs/ctn 43*37*34/ctn	
PCB Holder		ba-693	0.31kg	19.5*11*2/PCS 80pcs/ctn 44*30*26/ctn	
PCB Holder		ba-694	0.31	12.5*3*12.5 80pcs/ctn 44*30*26/ctn	Special for microscope.
Maintenance Mat		ba-689	0.45	35*24*0.7/pcs 50pcs/ctn 36*35*35/ctn	Size: 334×204 mm

Maintenance Mat		ba-690	6.90kg		Size: 425×320 mm Multifunction. Anti-magnetic Anti-corrosion High-strength
Multimeter		ba-890D	0.56kg	8.8*18*4.5 /pcs 40pcs/ctn 54*43*29/ctn	
Multimeter		ba-18B+	0.56kg	8.8*18*4.5 /pcs 40pcs/ctn 54*43*29/ctn	
Multimeter		ba-28	0.56kg	8.8*18*4.5 /pcs 40pcs/ctn 54*43*29/ctn	*Temperature measurement.
Battery Analyzer		DBT-2012	1	29*12*21	Multifunctional Battery Tester
Battery Analyzer		DBT-2012 Type-A	1	29*12*21	Multifunctional Battery Tester new type fit for iPhone
Battery Analyzer		Battery Dock for DBT-2012			Battery Dock of iPhones' batteries for DBT-2012 Battery Analyzer
Battery Analyzer		ba-19A	0.22	11.3*9*6.1	Battery Polygraph for iPhone Batteries. Battery polygraph (Original or not). Real time data. Charging and Activation. Reset the Cycle Count. Built-in Battery
Battery Analyzer		ba-19B	0.22	11.3*9*6.1	Battery Polygraph for iPhone Batteries. Battery polygraph (Original or not). Real time data. Charging and Activation. Reset the Cycle Count. NO Built-in Battery
Repairing cable		ba-201	0.16	9.5*3.7*14.5	For iPhone 4-XSmax cellphone reboot repairing testing.
Repairing cable		ba-202			
Microscope		ba-005	7.00kg	45.5*33.5*25	30X~180X;
Microscope		ba-011	9.30kg	37*24*42	30X~180X;
Microscope		ba-002-HD	5.60kg	46*34*25	30X~180X
Microscope		ba-003-HD	3.40kg	35*22*21	8X~100X

Microscope		ba-006	0.50kg	21*17*8/pcs 20pcs/ctn 33*40*43/ctn	600X come with 8GB micro SD
Microscope		ba-007	4	4pcs/ctn 61*35*36/ctn	20X, 40X
Microscope		ba-008	4.85kg	32*30*25pcs/ctn 2pcs/ctn 50*40*39/ctn	7X~45X
Microscope		ba-008T	5.20kg	32*30*25pcs/ctn 2pcs/ctn 50*40*39/ctn	7X~45X
Microscope		ba-009	16.70kg	50*48*29	7X~45X
Microscope		ba-009T	16.70kg	50*48*29	7X~45X
Microscope		ba-010	24.90kg	51*50*30	7X~45X
Microscope		ba-010T	24.90kg	51*50*30	7X~45X
8' Monitor		8' Monitor			
8' Monitor-HD		8' Monitor-HD			
CCD Camera BNC		CCD Camera BNC			Output interface: BNC Resolution: 480TV Line
CCD Camera VGA		CCD Camera VGA			Output interface: VGA Effective pixels: 1.3 million
CCD Camera HDMI		CCD Camera HDMI			Output interface: HDMI Effective pixels: 22 million Removable storage: micro SD up to 128GB Remote Control
CCD Camera HDMI		CCD Camera HDMI			Output interface: HDMI Effective pixels: 22 million Removable storage: SD card Remote Control
HX Lamp		HX Lamp			for microscope

LED Lamp		LED Lamp			for microscope Brightness Control
Maintenance Mat for ba-008		Maintenance Mat for ba-008			
Maintenance Mat for ba-008		Maintenance Mat for ba-008			
Screwdriver		ba-351	0.04kg	19.7*1.7*5.2	
Screwdriver		ba-352	0.04kg	19.7*1.7*5.2	
Screwdriver		ba-353	0.04kg	19.7*1.7*5.2	
Screwdriver		ba-355	0.03kg	14.8*1.7*5.2	
Screwdriver		ba 357			
Screwdrivers Set		BK-7276	0.07kg	27*2*5.5	
Screwdrivers Set		ba-3336	0.09kg	16.3*9.7*1.7/pcs 150pcs/ctn 36*35*35/ctn	
Screwdrivers Set		ba-3337	0.10kg	18.3*9.5*2/pcs 150pcs/ctn 43*37*34/ctn	
Screwdrivers Set		ba-3338	0.19kg	18.7*6.8*1.8 /pcs 150pcs/ctn 36*35*35/ctn	24-bit kit
Screwdrivers Set		Electronic screwdriver	0.26	8*3.7*19	18-bit kit
Screwdrivers Set		Electronic screwdriver	0.34	10*3.7*19	29-bit kit
Screwdrivers Set		ba-3037	0.76	13.9*12.6*6.6/pcs 40pcs/ctn 60*41*35/ctn	32-bit kit

Screwdrivers Set		ba-3038	0.75	13.9*12.6*6.6/pcs 40pcs/ctn 60*41*35/ctn	32-bit kit
Screwdrivers Set		ba-3039	0.56	13.9*12.6*6.6/pcs 40pcs/ctn 60*41*35/ctn	48-bit kit
Magnetizer/Demagnetizer		mini Magnetizer			
Opening tools		BK-7230	0.12kg	22.1*10.8*4.7	
Opening tools		BK-7277	0.02kg	2.8*20.6*0.06	
Opening tools		BK-7278	0.05kg	20.5*5.6*0.6	
Opening tools		ba-215	0.01kg	13,9*7.4*0.5	
Opening tools		ba-216	0.01kg	13,9*7.4*0.1	
Pliers		ba-13	0.07	192.*7.6*1.3	135mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ1.5mm, not for cutting hard wire Weight: 80g
Pliers		ba-318	0.07kg	192.*7.6*1.3	130mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ2.0mm, not for cutting hard wire Weight: 73g
Pliers		ba-615	0.08kg	192.*7.6*1.3	128mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ2.0mm, not for cutting hard wire Weight: 63g
Pliers		ba-62D	0.08kg	192.*7.6*1.3	115mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ2.0mm, not for cutting hard wire Weight: 72g
Pliers		ba-6205	0.09kg	192.*7.6*1.3	130mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ2.0mm, not for cutting hard wire Weight: 72g
Pliers		ba-625	0.10kg	192.*7.6*1.3	130mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ2.0mm, not for cutting hard wire Weight: 95g
Pliers		ba-621	0.10kg	192.*7.6*1.3	135mm Material: Cr.V60C Soft copper wire φ0.2-2.0mm Cord φ2.0mm, not for cutting hard wire Weight: 85g

Pliers		ba-626	0.16kg	21*7.6*1.3	160mm Material: Cr.V60C Soft copper wire ϕ 0.2-2.0mm Cord ϕ 2.0mm, not for cutting hard wire Weight: 145g
Pliers		ba-622	0.17kg	21*7.6*1.3	162mm Material: Cr.V60C Soft copper wire ϕ 0.2-2.0mm Cord ϕ 2.0mm, not for cutting hard wire Weight: 115g
Tweezers		i7 Series	0.06kg	19.2*5.2*1.8	
Tweezers		i6 Series	0.06kg	19.2*5.2*1.8	
Tweezers		i5 Series	0.06kg	19.2*5.2*1.8	
Tweezers		SS-sa-18	29*3*0.5	0.03	
Tweezers		5-SA-16	29*3*0.5	0.03	
Tweezers		7A-16	29*3*0.5	0.03	
Tweezers		2A-16	29*3*0.5	0.03	
Flux		ba-227	0.01kg	7.8*3*2.5	Flux Type: BK-227 Lot#: 125-06-1 Net:12g
Flux		ba-229	0.03kg	16.5*7.9*1.8	Flux Type: ba-229 Lot#: R-898-Lo Net:15ml
Flux		ba-230	0.05kg	12.7*3.7*2.9	Flux Type: ba-230 Lot#: R-898-Lo Net:40ml
Solder Paste		ba-6351	0.03kg	7.9*3*2.5	Alloy: 63Sn/37Pb Powders Size: 20-28 μ m Net: 33g
Solder Paste		ba-6352	0.02kg	8.4*3*1.8	Alloy: SAC305 (96.5%Sn) Lead-free Powders Size: 20-28 μ m Net: 33g
Reballing		3D BGA Reballing Stencil			Model: A8, A9, A10 for iOS


Reballing		3D BGA Reballing Stencil			
Reballing		3D BGA Reballing Stencil			
Reballing		3D BGA Reballing Stencil			
Soldering Wire		BK-100g-A	0.1	5.4*5.4*3.6	Dia.: 0.2mm, 0.3mm, 0.4mm, 0.5mm, 0.6mm, 0.8mm, 1.0mm Weight: 100g
UV Curable Solder Mask		ba-126	0.1	7.8*3*2.5	Solidified temperature: 110-120°C ×10-15min. Heat-patience: 260±5°C 10s 3 times. Smallness(μm):≤10. Viscosity (centipoise 25°C) 200±50ps Hardness: ≥6H Attach:100/100 Net: 8g
Conductive Silver Paint		ba-426	0.1	8.3*3*1.8	Side resistance: <0.1 ohms / sq @1 mil 157-200 mesh / inch monofilament polyester mesh 165-250 mesh / inch stainless steel wire mesh Thick: ≥12.5μm
IC adhesive remover		ba-127	0.07kg	8.1*3.6*3.6	
Frame glue remover		ba-128	0.10kg	9*4.1*4.1	

Quotation



GUANGZHOU HANKER ELECTRONICS TECHNOLOGY CO.,LTD.

ADD:SHADU ROAD T.I.T Cultural and Creative Park Block 29 102, HAIZHU DISTRICT Guangzhou Guangdong China
Cell/Wechat: +8613798070807 Email: hanker003@bakutool.com Contact Person: MS. STAR LI


Type	Pic.	Model	Unit Price (EXW Guangzhou)	MOQ (pcs)	< MOQ U/price	Weight/pcs (kg)	Packing Detail (cm)	Remark
LCD Separator		BK-947	> MOQ: \$36.67	MOQ:120	≤MOQ: \$40.00	2.10KG	26*20*15/pcs 12pcs/ctn 54*41*47/ctn	Work Range: 190*110 mm (8.5 inch) Size: 150*223*100 mm Output Power: 200W
LCD Separator		BK-946D	> MOQ: \$56.67	MOQ:120	≤MOQ: \$62.50	3.20KG	32*23*20 /pcs 4pcs/ctn 41*46*34/ctn	Work Range: 190*110mm (8.5 inch) Size: 150*270*120 mm Output Power: 200W
LCD Separator		BK-948D	> MOQ: \$56.67	MOQ:120	≤MOQ: \$62.50	3.08KG	32*23*20 /pcs 4pcs/ctn 41*46*34/ctn	Work Range: 190*110mm (8.5 inch) Size: 150*270*120 mm Output Power: 200W
LCD Separator		BK-968	> MOQ: \$114.17	MOQ:120	≤MOQ: \$125.00	6.20KG	41*31*17/ctn 2pcs/ctn 51*46*34/ctn	Work Range: 190*295mm (13.5 inch) Size: 240*360*125 mm Output Power: 200W Dual pumps: S2 for mobile and S1 for tablet.
Preheater		BK-946E	> MOQ: \$28.00	MOQ:120	≤MOQ: \$30.83	1.62KG	26*20*15/pcs 12/ctn 54*41*47/ctn	Work Range: 190*110mm (8.5 inch)
Ultrasonic Cleaner		ba-2300	> MOQ: \$18.00	MOQ:160	≤MOQ: \$19.67	0.76KG	24*17*14/pcs 16pcs/ctn 49*58*35/ctn	Ultrasonic Frequency: 40KHz Ultrasonic Power: 35W Capacity: 0.8L
Ultrasonic Cleaner		BK-3050	> MOQ: \$23.33	MOQ:120	≤MOQ: \$25.33	1.10KG	26*16*17/pcs 12pcs/ctn 56*47*35/ctn	35W & 50W Inner Dimension: 152×86×54 mm
Ultrasonic Cleaner		BK-3550	> MOQ: \$21.67	MOQ:120	≤MOQ: \$23.67	1.10KG	26*16*17/pcs 12pcs/ctn 56*47*35/ctn	30W & 50W
Ultrasonic Cleaner		BK-9050	> MOQ: \$15.00	MOQ:160	≤MOQ: \$16.33	0.70KG	22*17*13/pcs 16pcs/ctn 55*46*39/ctn	30W & 50W
Ultrasonic Cleaner		BK-9030	> MOQ: \$12.00	MOQ:160	≤MOQ: \$13.17	0.70KG	22*17*13/pcs 16pcs/ctn 55*46*39/ctn	30W Color: Green, White
Ultrasonic Cleaner		BK-3A	> MOQ: \$11.00	MOQ:120	≤MOQ: \$12.00	0.70KG	22*14*16/pcs 12pcs/ctn 53*47*34/pcs	30W

Soldering Station		BK-938	> MOQ: \$7.00	MOQ:108	≤MOQ: \$7.67	0.70KG	21*14*7/pcs 36pcs/ctn 44*43*48/ctn	
Soldering Station		BK-936A	> MOQ: \$31.00	MOQ:120	≤MOQ: \$34.00	1.80KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	Original HAKKO ceramic heater.
Soldering Station		BK-936D+	> MOQ: \$22.50	MOQ:120	≤MOQ: \$24.67	1.98KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	Temperature display
Soldering Station		BK-936E	> MOQ: \$15.83	MOQ:120	≤MOQ: \$17.50	1.68KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	
Soldering Station		BK-936N	> MOQ: \$15.83	MOQ:120	≤MOQ: \$17.50	1.52KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	
Soldering Station		BK-936	> MOQ: \$13.00	MOQ:120	≤MOQ: \$14.17	1.50KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	
Soldering Station		BK-936B	> MOQ: \$10.17	MOQ:120	≤MOQ: \$11.33	1.50KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	
Soldering Station		BK-936D	> MOQ: \$20.83	MOQ:120	≤MOQ: \$22.83	1.50KG	26*12*22/pcs 12pcs/ctn 56*47*39/ctn	Temperature display
Soldering Iron		BK-CS-30	> MOQ: \$2.47	MOQ:120	≤MOQ: \$3.50			30W, 40W
		BK-452	> MOQ: \$2.75	MOQ:120	≤MOQ: \$3.08			60W Male pin for BK-936 Series Soldering Stations
		BK-453	> MOQ: \$2.75	MOQ:120	≤MOQ: \$3.08			30W
		BK-454	> MOQ: \$1.75	MOQ:120	≤MOQ: \$2.00			30W
		BK-456	> MOQ: \$5.00	MOQ:120	≤MOQ: \$6.50	0.18KG		
Soldering Iron		BK-459	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.30	0.18KG	60pcs/ctn 44*38*35/ctn	30W, 40W

Rework Station		BK-600A	> MOQ: \$21.17	MOQ:104	≤MOQ: \$23.00	2.00KG	26*25*15/pcs 8pcs/ctn 50*28*59/ctn	Single hot air gun. Power Consumption: 700W Blower Fan: Brushless Fan
		BK 600D	> MOQ: \$24.67	MOQ:104	≤MOQ: \$27.17	2.00KG	26*25*15/pcs 8pcs/ctn 50*28*59/ctn	Single hot air gun. Power Consumption: 700W Blower Fan: Brushless Fan
		BK-601A	> MOQ: \$30.83	MOQ:104	≤MOQ: \$33.33	2.80KG	26*25*15/pcs 8pcs/ctn 50*28*59/ctn	Hot air gun + Solder iron
		BK-601D	> MOQ: \$32.50	MOQ:104	≤MOQ: \$35.00	2.80KG	26*25*15/pcs 8pcs/ctn 50*28*59/ctn	Hot air gun + Solder iron + Temperature display for hot air gun
		BK-602A	> MOQ: \$35.00	MOQ:120	≤MOQ: \$38.33	3.40KG	34*29*16/pcs 6pcs/ctn 59*31*46/ctn	Dual air guns
		BK-602D	> MOQ: \$38.50	MOQ:120	≤MOQ: \$41.17	3.40KG	34*29*16/pcs 6pcs/ctn 59*31*46/ctn	Dual air guns + Dual temperature display
		BK-603A	> MOQ: \$37.50	MOQ:120	≤MOQ: \$41.17	4.30KG	34*29*16/pcs 6pcs/ctn 59*31*46/ctn	One air gun & dual solder irons
		BK-603D	> MOQ: \$42.00	MOQ:120	≤MOQ: \$45.00	4.30KG	34*29*16/pcs 6pcs/ctn 59*31*46/ctn	One air gun & dual solder irons + Temperature Display for hot air
		BK-701A	> MOQ: \$37.50	MOQ:120	≤MOQ: \$41.00	4.84KG	33*27*19/pcs 4pcs/ctn 56*33*39/ctn	Hot air gun + Solder iron
Rework Station		BK-701L	> MOQ: \$43.67	MOQ:120	≤MOQ: \$47.50	4.84KG	33*27*19/pcs 4pcs/ctn 56*33*39/ctn	Hot air gun & Solder iron + Temperature display for hot air gun
		BK-702L	> MOQ: \$43.83	MOQ:120	≤MOQ: \$48.33	4.82KG	33*27*19/pcs 4pcs/ctn 56*33*39/ctn	Hot air gun & Solder iron + Dual temperature display
		BK-851A	> MOQ: \$27.00	MOQ:120	≤MOQ: \$29.67	3.30KG	34*28*20/pcs 6pcs/ctn 57*36*62/ctn	Single hot air gun.
		BK-851A+	> MOQ: \$32.50	MOQ:120	≤MOQ: \$35.83	3.34KG	34*28*20/pcs 6pcs/ctn 57*36*62/ctn	Single hot air gun.
		BK-852L	> MOQ: \$37.17	MOQ:120	≤MOQ: \$40.83	3.7	34*28*20 /pcs 6/ctn 60*58*36/ctn	Single hot air gun + Temperature display

		BK-878	> MOQ: \$30.00	MOQ:108	≤MOQ: \$32.00	2.20KG	26*18*17/pcs 9pcs/ctn 53*28*51/ctn	Hot air gun + Solder iron
		BK-878L	> MOQ: \$33.00	MOQ:108	≤MOQ: \$36.33	2.22KG	26*18*17/pcs 9pcs/ctn 53*28*51/ctn	Hot air gun & Solder iron + Temperature display for hot air
		BK-878L ²	> MOQ: \$41.00	MOQ:108	≤MOQ: \$45.00	2.22KG	26*18*17/pcs 9pcs/ctn 53*28*51/ctn	Hot air gun & Solder iron + Dual temperature display
Rework Station		BK-858	> MOQ: \$23.67	MOQ:120	≤MOQ: \$25.83	1.42KG	26*18*15/pcs 12pcs/ctn 52*29*62/ctn	Single hot air gun.
		BK-858L	> MOQ: \$27.50	MOQ:120	≤MOQ: \$30.33	1.42KG	26*18*15/pcs 12pcs/ctn 52*29*62/ctn	Single hot air gun + Temperature display
		BK-909	> MOQ: \$44.67	MOQ:120	≤MOQ: \$49.17	4.38KG	33*30*23/pcs 4pcs/ctn 61*35*50/ctn	Hot air gun + Solder iron + Power supply
		BK-909S	> MOQ: \$50.00	MOQ:120	≤MOQ: \$55.00	4.70KG	33*30*23/pcs 4pcs/ctn 61*35*50/ctn	Hot air gun + Solder iron + Power supply + USB MP3 player
		BK-701B	> MOQ: \$38.00	MOQ:120	≤MOQ: \$42.00	4.80KG	4pcs/ctn 59*36*43/ctn	Hot air gun & Solder iron + Temperature display for hot air
		BK-702A	> MOQ: \$36.00	MOQ:120	≤MOQ: \$40.00	4.38KG	33*27*19 /pcs 4pcs/ctn 59*36*43/ctn	Hot air gun + Solder iron
		BK-702B	> MOQ: \$43.00	MOQ:120	≤MOQ: \$47.50	4.70KG	33*27*19 /pcs 4pcs/ctn 59*36*43/ctn	Hot air gun & Solder iron + Dual temperature display
		BK-850	> MOQ: \$22.50	MOQ:120	≤MOQ: \$24.67	3.20KG	33*27*19 /pcs 6pcs/ctn 57*36*62/ctn	Single hot air gun.
		BK-850A	> MOQ: \$26.33	MOQ:120	≤MOQ: \$29.17		34*28*20 /pcs 6pcs/ctn 57*36*62/ctn	Single hot air gun.
		BK-850A++	> MOQ: \$29.17	MOQ:120	≤MOQ: \$32.50	3.34KG	34*28*20 /pcs 6pcs/ctn 57*36*62/ctn	Single hot air gun. Constant Temperature
		BK-852	> MOQ: \$36.00	MOQ:120	≤MOQ: \$39.67	3.40KG	34*28*20 /pcs 6pcs/ctn 57*36*62/ctn	Single hot air gun + Temperature display

Rework Station		BK-852D	> MOQ: \$45.83	MOQ:120	≤MOQ: \$50.83	4.70KG	34*28*20 /pcs 6pcs/ctn 57*36*62/ctn	Hot air gun & Solder iron + Temperature display for hot air
		BK-852D+	> MOQ: \$37.50	MOQ:120	≤MOQ: \$41.33	6.32KG	34*28*20 /pcs 6pcs/ctn 57*36*62/ctn	Hot air gun & Solder iron + Dual temperature display
		BK-761D	> MOQ: \$29.17	MOQ:100	≤MOQ: \$32.50	2.48KG	29*12*23/pcs 10pcs/ctn 63*47*30/ctn	Hot air gun & Solder iron + Temperature display for hot air
		BK-878A	> MOQ: \$26.67	MOQ:120	≤MOQ: \$29.67	2.40KG	27*18*16/pcs 12pcs/ctn 56*37*49/ctn	Hot air gun + Solder iron
Rework Station		BK-858A	> MOQ: \$17.50	MOQ:120	≤MOQ: \$19.67	1.50KG	27*18*16/pcs 12pcs/ctn 56*37*49/ctn	Single hot air gun.
		BK-858D	> MOQ: \$20.83	MOQ:120	≤MOQ: \$23.00	1.52KG	27*18*16/pcs 12pcs/ctn 56*37*49/ctn	Single hot air gun + Temperature display
		BK-898A	> MOQ: \$28.17	MOQ:120	≤MOQ: \$30.83	2.36KG	27*18*16/PCS 12pcs/ctn 56*33*49/ctn	Hot air gun + Solder iron
		BK-898D	> MOQ: \$39.17	MOQ:120	≤MOQ: \$43.00	2.36KG	27*18*16/PCS 12pcs/ctn 56*33*49/ctn	Hot air gun & Solder iron + Dual temperature display
		BK-857	> MOQ: \$23.33	MOQ:120	≤MOQ: \$25.83	2.40KG	32*19*24/pcs 6pcs/ctn 56*33*49/ctn	Single hot air gun.
		BK-857D	> MOQ: \$28.00	MOQ:120	≤MOQ: \$30.83	2.40KG	32*19*24/pcs 6pcs/ctn 56*33*49/ctn	Single hot air gun + Temperature display
Heat Gun		BK-8032A++	> MOQ: \$17.50	MOQ:120	≤MOQ: \$20.00	0.74KG	31*13*9/pcs 30pcs/ctn 64*41*44/ctn	Temperature control Temperature display
		BK-8033	> MOQ: \$7.00	MOQ:120	≤MOQ: \$8.00	0.70KG	26*24*8/pcs 20pcs/ctn 43*52*50/ctn	
Handles for Rework Stations Hot Air		601D Handle	> MOQ: \$7.00	MOQ:100	≤MOQ: \$8.00	0.30KG	100pcs/ctn 50*47*33/ctn	for: BK-600A, BK-601A, BK-601D, BK-602A, BK-602D, BK-603A, BK-603D, BK-878, BK-878A, BK-878L, BK-878L ² , BK-858,
		950 Handle	> MOQ: \$4.80	MOQ:100	≤MOQ: \$6.00	0.30KG	100pcs/ctn 50*47*33/ctn	for: BK-701A, BK-701B, BK-701L, BK-702L, BK-702B, BK-852D, BK-852D+

Gun		850 Handle	> MOQ: \$4.80	MOQ:100	≤MOQ: \$6.00	0.30KG	100pcs/ctn 50*47*33/ctn	for: BK-850, BK-850A, BK-850A++, BK-851A, BK-851A+, BK-852, BK-852L,
Handles for Rework Stations Soldering Iron		936A Handle	> MOQ: \$12.00	MOQ:200	≤MOQ: \$130.00	0.15KG	200pcs/ctn 26*47*43/ctn	Special for:Hakko Element for BK-936A
		936 Handle (Blue / Plastic)	> MOQ: \$3.00	MOQ:200	≤MOQ: \$4.00	0.15KG	200pcs/ctn 26*47*43/ctn	for: BK-701A, BK-701L, BK-702L BK-936D+, BK-936E, BK-936N
		936 Handle (Blue / Metal)	> MOQ: \$3.00	MOQ:200	≤MOQ: \$4.00	0.15KG	200pcs/ctn 26*47*43/ctn	for: BK-601A, BK-601D, BK-603A, BK-603D, BK-878, BK-878L, BK-878L ² , BK-909, BK-909S
Handles for Rework Stations		936 Handle (Black / Plastic)	> MOQ: \$3.00	MOQ:200	≤MOQ: \$4.00	0.15KG	200pcs/ctn 26*47*43/ctn	for: BK-701B, BK-702A, BK-702B, BK-852D, BK-852D+, BK-936, BK-936+, BK-936D
Soldering Iron		936 Handle (Black / Metal)	> MOQ: \$3.00	MOQ:200	≤MOQ: \$4.00	0.15KG	200pcs/ctn 26*47*43/ctn	for: BK-878A, BK-898A, BK-898D, BK-936B
Handles for Rework Stations Soldering		938 Handle	> MOQ: \$2.50	MOQ:200	≤MOQ: \$3.00	0.15KG		for: BK-938
Soldering Iron' s Tip		BK-900-I	> MOQ: \$1.50	MOQ:500	≤MOQ: \$1.80	0.03KG		
		BK-9033	> MOQ: \$1.50	MOQ:500	≤MOQ: \$1.80	0.03KG	5.5*12*0.7	3 in 1
		938 Iron Tip	> MOQ: \$0.45	MOQ:500	≤MOQ: \$0.60	0.03KG		for BK-938
Iron Tip Refresher		BK-226	> MOQ: \$3.50	MOQ:200	≤MOQ: \$4.00	0.03KG	13.2*7.2*1.3	
PCB Holder		BK-686	> MOQ: \$1.50	MOQ:100	≤MOQ: \$1.80	0.24KG	16*9.7*1.7/pcs 100pcs/ctn 44*31*27/ctn	
		BK-687	> MOQ: \$1.20	MOQ:100	≤MOQ: \$1.50	0.17KG	16*9.7*1.7/pcs 100pcs/ctn 44*31*27/ctn	
Soldering Assist Tools Set		BK-120	> MOQ: \$1.30	MOQ:200	≤MOQ: \$1.42	0.09KG	26.8*7.5*1	6 pcs set.


Desolder Pump		BK-106	> MOQ: \$1.00	MOQ:200	≤MOQ: \$1.20	0.06KG	24*6.1*2.4	
Vacuum Sucking Pen		BK-939	> MOQ: \$1.80	MOQ:200	≤MOQ: \$2.00	0.03KG	26.8*5.8*2	
Fume Extractor		BK-493	> MOQ: \$15.00	MOQ:104	≤MOQ: \$18.00	1.60KG	8pcs/ctn 56*34*59/ctn	
Power Supply		BK-1501D	> MOQ: \$17.00	MOQ:120	≤MOQ: \$19.00	1.74KG	25*16*20/pcs 12pcs/ctn 50*49*45/ctn	15V 1A
		BK-1501T	> MOQ: \$15.50	MOQ:120	≤MOQ: \$18.00	2.00KG	29*17*22/pcs 12pcs/ctn 50*49*45/ctn	15V 1A
		BK-1501T+	> MOQ: \$18.50	MOQ:120	≤MOQ: \$20.00	2.00KG	29*17*22/pcs 12pcs/ctn 50*49*45/ctn	15V 1A
		BK-1502DD	> MOQ: \$14.00	MOQ:120	≤MOQ: \$15.00	1.50KG	26*14*18/pcs 12pcs/ctn 50*49*45/ctn	15V 1A
		BK-1502D+	> MOQ: \$15.50	MOQ:120	≤MOQ: \$17.50	1.50KG	26*14*18/pcs 12pcs/ctn 50*49*45/ctn	15V 1A
		BK-1502TA	> MOQ: \$24.17	MOQ:120	≤MOQ: \$26.67	2.10KG	29*17*22/pcs 12pcs/ctn 50*49*45/ctn	15V 2A
		BK-305D	> MOQ: \$41.33	MOQ:120	≤MOQ: \$45.83	4.90KG	32*20*22/pcs 4pcs/ctn 40*33*45/ctn	30V 5A
		Power Supply Special Cable for iPhone	> MOQ: \$3.00		≤MOQ: \$3.30			Special Cable for iPhone fit for iPhone 5 to iPhone X
Multimeter		BK-9205A	> MOQ: \$3.50	MOQ:120	≤MOQ: \$3.83	0.36KG	21.714*4.4/pcs 60pcs/ctn 47*45*45/ctn	
		BK-9205B	> MOQ: \$4.17	MOQ:120	≤MOQ: \$4.58	0.36KG	21.714*4.4/pcs 60pcs/ctn 47*45*45/ctn	
		BK-830D+	> MOQ: \$3.25	MOQ:100	≤MOQ: \$3.58	0.20KG	13.3*9*4.3/pcs 100pcs/ctn 47*46*29/ctn	

		BK-A830L	> MOQ: \$3.50	MOQ:100	≤MOQ: \$3.83	0.20KG	13.3*9*4.3/pcs 100pcs/ctn 47*46*29/ctn	
		BK-890A	> MOQ: \$13.00	MOQ:120	≤MOQ: \$14.17	0.50KG	20.8*13.5*6.4 30PCS/CTN	*Temperature measurement.
Multimeter		BK-890B	> MOQ: \$12.17	MOQ:120	≤MOQ: \$13.33	0.50KG	20.8*13.5*6.4 30PCS/CTN	
Microscope		BK-3C	> MOQ: \$110.00	MOQ:120	≤MOQ: \$119.17			20X, 40X
		BK-3B	> MOQ: \$108.00	MOQ:120	≤MOQ: \$110.00			20X, 40X
		BK-3AP	> MOQ: \$110.00	MOQ:120	≤MOQ: \$105.00			20X, 40X
Screwdriver		BK-340	> MOQ: \$2.00	MOQ:120	≤MOQ: \$2.50	0.03KG	19.5*1.7*4.2	T2 T3 T4 T5 T6 1.5 2.0 1.5 1.8 2.0 2.0 0.8 1.2 1.5 2.5 0.6 for Apple Watch & iPhone
		BK-339	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.80	0.03KG	15*1.8*4.5	T2 T3 T4 T5 T6 1.5 1.5 1.5 2.0 2.0 0.8 1.2 1.5
		BK-332-2	> MOQ: \$0.80	MOQ:120	≤MOQ: \$1.00	0.03KG	15*1.8*4.5	T2 T3 T4 T5 T6 1.5 2.0 2.0 1.5 2.0 0.5 1.2
		BK-338	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.67	0.03KG	15*1.8*4.5	T2 T3 T4 T5 T6 1.5 2.0 1.5 1.8 2.0 2.0 1.2 1.5 1.8 2.5 0.6
		BK-350	> MOQ: \$2.00	MOQ:120	≤MOQ: \$2.50	0.04KG	15*1.8*4.5	T3 T4 T5 T6 1.5 2.0 2.0 1.5 2.0 0.8 1.2 2.5 2.5
		BK-335	> MOQ: \$1.20	MOQ:120	≤MOQ: \$1.50	0.03KG	12.5*1.7*1.9	T2 T3 T4 T5 T6 1.5 1.5 1.8 2.0 1.2 0.8 0.6 for iPhone 7 to X
		BK-372	> MOQ: \$0.88	MOQ:120	≤MOQ: \$0.97			T2 T3 T4 T5 T6 1.5 1.2 1.5 1.8 2.0 2.0 0.8 1.2 1.5
		BK-373	> MOQ: \$0.42	MOQ:120	≤MOQ: \$0.47			T2 T3 T4 T5 T6 1.5 1.2 1.5 1.8 2.0 2.0 0.8 1.2 1.5

Screwdriver		BK-362	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83			Ø12 Ø13 Ø14 Ø15 Ø16 1.5 1.2 1.5 1.8 2.0 2.0 0.8 1.2 1.5
		BK-364	> MOQ: \$0.42	MOQ:120	≤MOQ: \$0.47			
		BK-652	> MOQ: \$0.09	MOQ:120	≤MOQ: \$0.10			
		BK-9014	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.20			2in1
		BK-625	> MOQ: \$0.09	MOQ:120	≤MOQ: \$0.20			Ø13 Ø14 Ø15 Ø16 1.5 2.0 2.0 1.5
		BK-360	> MOQ: \$0.90	MOQ:120	≤MOQ: \$1.00			Ø12 Ø13 Ø14 Ø15 Ø16 1.5 1.5 1.8 2.0 2.0 0.8 1.2 1.5
		BK-623	> MOQ: \$0.30	MOQ:120	≤MOQ: \$0.50			Ø12 Ø13 Ø15 Ø16 2.0 1.5 1.2 2.0 0.8
		BK-331	> MOQ: \$0.47	MOQ:120	≤MOQ: \$0.50			Ø12 Ø13 Ø14 Ø15 Ø16 1.5 2.0 1.5 2.0 2.0
Screwdriver		HK-101	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83			Ø12 Ø13 Ø14 Ø15 Ø16 1.5 1.2 1.5 1.8 2.0 2.0 0.8 1.2 1.5
		BK-314	> MOQ: \$0.27	MOQ:120	≤MOQ: \$0.30			1.5 2.0 2in1
Screwdrivers Set		BK-7275	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50	0.09KG	19.2*6.5*2.8	A: Ø1.8 Ø1.8 Ø1.8 Ø1.8 Ø1.8 B: Ø1.8 Ø1.8 Ø1.8 Ø1.8 Ø1.8 C: Ø1.8 Ø1.8 Ø1.8 Ø1.8 Ø1.8 D: Ø1.8 Ø1.8 Ø1.8 Ø1.8 Ø1.8
		BK-7270	> MOQ: \$5.00	MOQ:120	≤MOQ: \$5.50	0.15KG	19.8*6.7*2.7	Ø1.8 1.5 Ø1.8 Ø1.8 Ø1.8
		BK-3310	> MOQ: \$3.80	MOQ:120	≤MOQ: \$4.50	0.16KG	19.8*6.7*2.7	A: Ø2 Ø1.8 B: Ø1.8 Ø1.8 C: Ø1.8 Ø1.8 D: Ø1.8 Ø1.8 E: Ø2.0 2.0 F: Ø2.0 2.0
		BK-3315	> MOQ: \$3.50	MOQ:120	≤MOQ: \$4.00	0.16KG	19.8*6.7*2.7	Ø12 1.8 / Ø13 2.0 Ø14 Ø15 / Ø16 2.0 1.2 0.8 10in1




		BK-312	> MOQ: \$1.25	MOQ:120	≤MOQ: \$1.38	0.04KG	18.7*5.4*2.3	012 01.5 / 013 017 014 01.5 / 015 02.0 016 01.2 / 018 02.0 12 in 1
		BK-315	> MOQ: \$1.58	MOQ:120	≤MOQ: \$1.75	0.05KG	19.4*6.2*2	012 013 014 015 016 017 018 01.2 01.5 02.0 01.5 01.5 01.8 01.5 02.0 15 in 1
Screwdrivers Set		BK-327	> MOQ: \$2.00	MOQ:120	≤MOQ: \$2.25			A: 02.5 02.0 01.5 014 015 016 B: 01.2 01.8 012 013 015 016
		BK-329	> MOQ: \$2.30	MOQ:120	≤MOQ: \$2.53			012 01.8 / 013 02.0 014 015 / 016 02.0 01.2 01.8 10 in 1
		BK-6500	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.67			for Nokia, Samsung
		BK-6000	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.67			for Nokia, Apple, Samsung
		BK-8600	> MOQ: \$0.92	MOQ:120	≤MOQ: \$1.00			for Nokia, Apple, Samsung
		BK-8700	> MOQ: \$1.58	MOQ:120	≤MOQ: \$1.75			for Nokia, Apple, Samsung
		BK-8800	> MOQ: \$1.33	MOQ:120	≤MOQ: \$1.47			for Nokia, Apple, Samsung
		BK-7290	> MOQ: \$1.58	MOQ:120	≤MOQ: \$1.75			A: 012 013 B: 015 016 C: 012 014 D: 01.7 016 E: 01.7 01.8
Screwdrivers Set		BK-7285	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50	0.07KG	19.5*8.3*1.7	for iPhone 3GS and earlier
		BK-7289	> MOQ: \$1.75	MOQ:120	≤MOQ: \$1.92	0.08KG	19.4*8*2.7	for iPhone
		BK-3332	> MOQ: \$5.00	MOQ:120	≤MOQ: \$6.00			A: 012 013 014 015 016 02.0 B: 013 015 016 01.5 02.0 02.0 C: 012 014 015 02.0 01.5 01.8
		BK-3335	> MOQ: \$4.00	MOQ:120	≤MOQ: \$4.50			A: 012 013 014 015 016 02.0 B: 013 015 016 01.5 02.0 02.0 C: 012 014 015 02.0 01.5 01.8

		BK-375	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50			A: Ø12 Ø13 Ø14 Ø15 Ø16 Ø17 B: Ø12 Ø14 Ø15 Ø16 Ø17 Ø18 C: Ø14 Ø15 Ø16 Ø17 Ø18 Ø19
		BK-660	> MOQ: \$0.63	MOQ:120	≤MOQ: \$0.75			A: Ø15 Ø16 Ø17 Ø18 Ø19 Ø20 B: Ø15 Ø16 Ø17 Ø18 Ø19 Ø20
Screwdrivers Set		BK-3032	> MOQ: \$1.08	MOQ:120	≤MOQ: \$1.20			28-bit kit
		BK-3020	> MOQ: \$2.17	MOQ:120	≤MOQ: \$2.42			20-bit kit
		BK-3035	> MOQ: \$3.33	MOQ:120	≤MOQ: \$3.67	0.17KG	12*7.4*3.1	30-bit kit
		BK-3034	> MOQ: \$9.00	MOQ:120	≤MOQ: \$10.00	0.53KG	21.5*14.3*4.2	31-bit kit
		BK-3051	> MOQ: \$8.50	MOQ:120	≤MOQ: \$9.50	0.39KG	21.5*14.3*4.2	47-bit kit
		BK-5530	> MOQ: \$2.20	MOQ:120	≤MOQ: \$2.50	0.13KG	14*9.4*2.1	
		BK-6030	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.67			30-bit kit
		BK-6008	> MOQ: \$1.08	MOQ:120	≤MOQ: \$1.20			
Screwdriver		BK-6312	> MOQ: \$2.75	MOQ:120	≤MOQ: \$3.03	0.20KG	20*11.2*2.3	for Nokia, Samsung
		BK-6630	> MOQ: \$2.42	MOQ:120	≤MOQ: \$2.67			30-bit kit
		BK-6636	> MOQ: \$3.50	MOQ:120	≤MOQ: \$3.83			
		BK-6108	> MOQ: \$1.30	MOQ:120	≤MOQ: \$1.43	0.11KG	12.8*13.5*1.8	

Screwdriver Set		BK-630-31	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.50	0.14KG	14*5.4*5.4	30-bit kit
		BK-631-31	> MOQ: \$1.50	MOQ:120	≤MOQ: \$2.00	0.14KG	14*5.4*5.4	30-bit kit
		BK-632-31A	> MOQ: \$1.50	MOQ:120	≤MOQ: \$2.00	0.14KG	14*5.4*5.4	30-bit kit
		BK-632-31B	> MOQ: \$1.20	MOQ:120	≤MOQ: \$1.50	0.14KG	14*5.4*5.4	30-bit kit
Screwdriver Set		BK-633-31A	> MOQ: \$1.20	MOQ:120	≤MOQ: \$1.50	0.14KG	14*5.4*5.4	30-bit kit
		BK-633-31B	> MOQ: \$1.20	MOQ:120	≤MOQ: \$1.50	0.14KG	14*5.4*5.4	30-bit kit
Magnetizer /Demagnetizer		BK-210	> MOQ: \$0.95	MOQ:120	≤MOQ: \$1.20	0.09KG	7.8*14.8*3	
		BK-7259	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.80			
		BK-7288	> MOQ: \$0.83	MOQ:120	≤MOQ: \$0.92			
		BK-212	> MOQ: \$0.58	MOQ:120	≤MOQ: \$0.64	0.03KG	16*8*0.4	
		BK-213	> MOQ: \$0.20	MOQ:120	≤MOQ: \$0.22			Stainless Steel
		BK-6013	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83	0.03KG	16*8*0.4	
		BK-6007	> MOQ: \$0.72	MOQ:120	≤MOQ: \$0.80			
		BK-7280-A	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83	0.05KG	18.5*7.5*1.2	

Opening tools		BK-7280-B	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83	0.05KG	18.5*7.5*1.2	
		BK-7280-C	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83	0.04KG	18.5*7.5*1.2	
		BK-7280-D	> MOQ: \$0.75	MOQ:120	≤MOQ: \$0.83	0.04KG	18.5*7.5*1.2	
		BK-7296	> MOQ: \$0.50	MOQ:120	≤MOQ: \$0.55	0.02KG	13.2*7.7*1.3	
Opening tools		BK-7279	> MOQ: \$0.80	MOQ:120	≤MOQ: \$1.00	0.01KG	12.1*2*0.1	Stainless Steel
Opening tools		3 in 1 Spudgers Set	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.67			
Pliers		BK-021	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.10	0.08KG	19*7.5*1	
		BK-031	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.10	0.09KG	19*7.5*1	
		BK-055	> MOQ: \$1.17	MOQ:120	≤MOQ: \$1.28	0.09KG	19*7.5*1.5	
		BK-071	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.10	0.08KG	19*7.5*1	
		BK-105	> MOQ: \$0.70	MOQ:120	≤MOQ: \$1.00			
		BK-108	> MOQ: \$0.92	MOQ:120	≤MOQ: \$1.03	0.04KG	15.3*9*0.9	
Pliers		BK-109	> MOQ: \$1.40	MOQ:120	≤MOQ: \$1.80	0.08KG	18.5*8.8*1.5	
		T7 Series	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50	0.02KG	18*4.4*0.4	

Tweezers		V9 Series	> MOQ: \$1.80	MOQ:120	≤MOQ: \$2.50	0.02KG	18*4.4*0.4	
		A8 Series	> MOQ: \$1.50	MOQ:120	≤MOQ: \$2.00	0.02KG	18*4.4*0.4	
		A8 E.S.D. Series	> MOQ: \$1.70	MOQ:120	≤MOQ: \$2.20	0.02KG	18*4.4*0.4	
		A3 Series	> MOQ: \$1.40	MOQ:120	≤MOQ: \$1.80	0.02KG	18*4.4*0.4	
		i164	> MOQ: \$3.40	MOQ:120	≤MOQ: \$3.80	0.02KG	18*4.4*0.4	
Tweezers		SS-sa-18(old)	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50	0.02KG	18*4.4*0.4	
		34-sa-15	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50	0.02KG	18*4.4*0.4	
		10 types series	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.50	0.02KG	18*4.4*0.4	
		White Card Series	> MOQ: \$0.80	MOQ:120	≤MOQ: \$1.00	0.02KG	18*4.4*0.4	
		BK-11ESD	> MOQ: \$0.50	MOQ:120	≤MOQ: \$0.80	0.02KG	18*4.4*0.4	
		BK-15ESD	> MOQ: \$0.50	MOQ:120	≤MOQ: \$0.80	0.02KG	18*4.4*0.4	
		BK-223	> MOQ: \$1.00	MOQ:120	≤MOQ: \$1.50	0.02KG	9.8*3.3*2.1	Flux Type: BK-223 Lot#: 308-02-2 Net:10cc
		BK-223-A	> MOQ: \$1.50	MOQ:120	≤MOQ: \$2.00	0.02KG	9.8*3.3*2.1	Flux Type: BK-223-A Lot#: 125-06-1 Volume: 10cc
		BK-R-625-Lo 12cc	> MOQ: \$4.20	MOQ:120	≤MOQ: \$5.00			Flux Type: R-625-Lo Lot#: 128-09-1 Volume: 12cc

Flux		BK-R-625-Lo 30cc	> MOQ: \$6.50	MOQ:120	≤MOQ: \$7.00	0.05KG	12.5*4.4*3	Flux Type: R-625-Lo Lot#: 128-09-1 Volume: 30cc
		BK-RMA-225-Lo 12cc	> MOQ: \$1.85	MOQ:120	≤MOQ: \$2.00			Flux Type: RMA-225-Lo Lot#: 177-09-5 Volume: 12cc
		BK-RMA-225-Lo 30cc	> MOQ: \$4.50	MOQ:120	≤MOQ: \$5.00	0.05KG	10*3.2*2.7	Flux Type: RMA-225-Lo Lot#: 177-09-5 Volume: 30cc
		BK-150	> MOQ: \$0.50	MOQ:120	≤MOQ: \$0.70			Neutral PH7±0.3 Net: 150g
		BK-80	> MOQ: \$0.40	MOQ:120	≤MOQ: \$0.65			Neutral PH7±0.3 Net: 80g
Flux		BK-50	> MOQ: \$0.45	MOQ:120	≤MOQ: \$0.60			Neutral PH7±0.3 Net: 50g
		BK-25	> MOQ: \$0.30	MOQ:120	≤MOQ: \$0.50			Neutral PH7±0.3 Net: 25g
		BK-10	> MOQ: \$0.42	MOQ:120	≤MOQ: \$0.47			Neutral PH7±0.3 Net: 10g
		AMTECH RMA-225-Lo	> MOQ: \$1.75	MOQ:120	≤MOQ: \$1.92			Flux Type: RMA-225-Lo Lot#: 176-09-5 Volume: 12cc
		AMTECH RMA-228	> MOQ: \$3.25	MOQ:120	≤MOQ: \$3.58			Flux Type: RMA-228 Lot#: 128-09-1 Volume: 10cc
Rosin		BK-220	> MOQ: \$0.17	MOQ:120	≤MOQ: \$0.18			
Solder Paste		BK-6350	> MOQ: \$2.42	MOQ:120	≤MOQ: \$2.67	0.05KG	9.8*3.3*2.1	Alloy: 63Sn/37Pb Powders Size: 25-45µm Net: 50g
		BK-5050	> MOQ: \$4.00	MOQ:120	≤MOQ: \$4.50	0.08KG	3.9*3.9*4.5	Alloy: 63Sn/37Pb Powders Size: 25-45µm Net: 150g
		BK-5051	> MOQ: \$2.00	MOQ:120	≤MOQ: \$2.50	0.05KG	3*3.7*3.7	Alloy: 63Sn/37Pb Powders Size: 25-45µm Net: 50g

		BK-051G	> MOQ: \$2.60	MOQ:120	≤MOQ: \$3.00	0.05KG	3.2*3.2*3.8	Alloy: 63Sn/37Pb Powders Size: 25-45µm Net: 50g
Solder Paste		BK-050G	> MOQ: \$2.50	MOQ:120	≤MOQ: \$3.00	0.04KG	3.8*3.8*2.1	Alloy: 63Sn/37Pb Powders Size: 25-45µm Net: 50g
		BK-30G	> MOQ: \$1.20	MOQ:120	≤MOQ: \$1.50	0.02KG	3.5*1.7*3.5	Alloy: 63Sn/37Pb Powders Size: 25-45µm Net: 30g
Soldering Wire		BK-5003	> MOQ: \$0.60	MOQ:120	≤MOQ: \$1.00			Dia: 0.2mm, 0.3mm, 0.4mm, 0.5mm, 0.6mm, 0.8mm Weight: 50g
		BK-10002 x50g	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.80	0.05KG	2.7*5.3*5.3	Dia: 0.2mm, 0.3mm, 0.4mm, 0.5mm, 0.6mm, 0.8mm Weight: 50g
		BK-10002 x100g	> MOQ: \$2.00	MOQ:120	≤MOQ: \$2.50	0.10KG	5.3*5.3*5.6	Dia: 0.2mm, 0.3mm, 0.4mm, 0.5mm, 0.6mm, 0.8mm Weight: 100g
Desoldering Wick		BK-1515	> MOQ: \$1.20	MOQ:120	≤MOQ: \$1.22	0.02KG	13.5*7*0.7	Width: 1.5mm Length: 1.5m
		BK-2015	> MOQ: \$1.25	MOQ:120	≤MOQ: \$1.50	0.02KG	13.5*7*0.7	Width: 2.0mm Length: 1.5m
Desoldering Wick		BK-2515	> MOQ: \$1.25	MOQ:120	≤MOQ: \$1.50	0.02KG	13.5*7*0.7	Width: 2.5mm Length: 1.5m
		BK-3015	> MOQ: \$1.25	MOQ:120	≤MOQ: \$1.50	0.02KG	13.5*7*0.7	Width: 3.0mm Length: 1.5m
Advanced Enameled Wire		BK-Advanced Enameled Wire (Jumper Wire)	> MOQ: \$3.00	MOQ:120	≤MOQ: \$3.50			Dia.: 0.09mm Qty.: 50 pcs
UV Glue		BK-51	> MOQ: \$3.50	MOQ:120	≤MOQ: \$4.00			TYPE: TP-2500F NET.:50g STORAGE: TEMP. 10~30°C RH≤70%
Cleanser		BK-5500	> MOQ: \$1.75	MOQ:120	≤MOQ: \$1.92	0.42KG	24.2*6.2*6.2	Precision Cleanser
Alcohol		BK-402	> MOQ: \$1.50	MOQ:120	≤MOQ: \$1.80	0.08KG	8.2*5.5*5.5	Stainless steel cap. Stainless steel One-Touch Pump. Capacity: 120ml

Bottle	 for 150ml	BK-403	> MOQ: \$1.40	MOQ:120	≤MOQ: \$1.60			Stainless steel cap. Stainless steel One-Touch Pump. Capacity: 150ml
Alcohol Bottle	 for 120ml	120ml Bottle	> MOQ: \$0.60	MOQ:120	≤MOQ: \$0.90			Stainless steel cap. Plastic One-Touch Pump. Capacity: 120ml
	 for 150ml	150ml Bottle	> MOQ: \$0.80	MOQ:120	≤MOQ: \$1.00			Stainless steel cap. Plastic One-Touch Pump. Capacity: 150ml